



# GEA DairyParlor P7550

Elevate your milking operation  
to new heights

# Increased throughput and efficiency

With shorter milking times and faster cow flow, you benefit from the combined advantages of Side-by-Side milking and a quick vertical lift exit gate.



## GEA DAIRYPARLOR P7550

A robust milking parlor with vertical lift ensures fast cow flow for more turns per hour



The P7550 from GEA's DairyParlor series is perfectly designed for daily milk production with mid to large-sized herds. Thanks to its compact, flexible and expandable design, this Side-by-Side milking parlor lets you milk a large number of cows in a very small area. Its vertical lift exit gate with integrated indexing function paves the way towards even faster cow flow – for more efficient milking and maximum throughput.

### Barrier-free within seconds

With the exit gate that lifts in a matter of seconds, the DairyParlor P7550 ensures safe and fast cow flow with no obstructive equipment in the exiting area. Your cows will appreciate such unique accessibility!

*Unobstructed cow exit at the push of a button: The exit gate raises to a height of 1.6 meters, so even larger cows feel completely free to leave the milking parlor safely.*

# Comfortable, stress-free milking from the outset

Ultimate comfort and an integrated indexing function: Pleasant surroundings provide all-around milking comfort for cows and optimal working conditions for employees.

Your cows will move quickly and freely along the wide entrance, each entering its own milking stall. Thanks to the lateral sequence gates and front segments of the exit gate that are optimally suited to fit the cows' anatomy, each cow is guided into its ideal milking position without any pressure. The entire milking process can take place completely stress-free from start to finish.

## Group indexing – for convenient and clean milking processes

The position of the exit gate can be adjusted as needed, and at the touch of a button, the group indexing function gently pushes heifers and smaller cows towards the splash shield.

This makes it easy to ensure that every udder is in the perfect position for cluster attachment – while keeping the entire milking environment clean.

## High comfort and easy handling

The DairyParlor P7550 guarantees maximum operator ease during every milking session because all the equipment is clearly arranged. Short distances and state-of-the-art ergonomics provide the ideal conditions for fast, comfortable handling of daily routines. Safe and easy access to each cow and an unobstructed view of the cows' udders enable cluster application in no time. Enjoy top-class milking of your herd, now and in the future!



Gentle spring loaded sequence gates guide each cow from the wide entry area into its own comfortable milking stall.



- Comfortable milking stalls, each 720 mm wide and 1.6 m high
- Entry gate opens at the touch of a button
- Faster cow exit and entry, quick positioning, milking begins in no time
- Stainless steel covering protects the milking technology from dust and moisture while reducing noise in the milking parlor
- Customized to suit your needs: compatible with GEA's wide product range of milking clusters and control units



## GROUP INDEXING

A clean and comfortable work environment with convenient access to each cow's udder.

## Ready to serve your herd

Durable design you can count on:  
The P7550's low-maintenance components are not only extremely robust, but also easy to clean.

From the stainless steel covered milking technology to the galvanized frame – the heavy-duty construction is thoroughly designed to withstand continuous use. That means you can consistently milk your herd extremely economically, whether milking takes place only for a few brief milking times per day or constantly – up to 24 hours per day, every day.

### Easy to clean through and through

You can also save time maintaining high standards in milking parlor hygiene. All surfaces are especially easy to clean. GEA's CIP cluster holder guarantees thorough cleaning at regular intervals, ensuring that everything is perfectly prepared for the next milking session.



- From 2 × 8 to 2 × 50 milking stalls, double-sided. Single-sided design available on request
- Standard or Subway versions
- Pneumatically instead of electrically operated exit gate for maximum reliability
- Optional gate control remote boxes (max. at every fourth milking stall)
- High-performance compressed air cylinder with remote-mounted reserve air tank to raise up to 18 milking stalls
- Robust surfaces can withstand high-pressure cleaning
- Low-maintenance, easy access components

### DESIGN YOUR FARM FOR THE FUTURE

Whether new installation or retrofitting, GEA's reliable DairyParlor P7550 gives you maximum flexibility while requiring minimum space.



## We live our values.

Excellence • Passion • Integrity • Responsibility • GEA-iversity

GEA Group is a global engineering company with multi-billion euro sales and operations in more than 50 countries. Founded in 1881, the company is one of the largest providers of innovative equipment and process technology. GEA Group is listed in the STOXX® Europe 600 Index.

### GEA Deutschland

GEA Farm Technologies GmbH

Siemensstraße 25 - 27

D-59199 Bönen

Tel +49 23 83 93 7-0

Fax +49 23 83 93 8-0

[info@gea.com](mailto:info@gea.com)

[gea.com](http://gea.com)